



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30422007-002
 Harvest/Lot ID: 0005E2AZ
 Batch#: 5E2AZ
 Seed to Sale# .
 Batch Date: 11/22/22

Sample Size Received: 64 gram
 Total Amount: 10000 units
 Retail Product Size: 2.9944 gram
 Ordered : 04/15/23
 Sampled : 04/15/23
 Completed: 04/25/23
 Sampling Method: SOP.T.20.010.FL

PASSED

Apr 25, 2023 | The Natural High Brand Company




Pages 1 of 1

Atlanta, GA, 30309, US

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides NOT TESTED	 Heavy Metals NOT TESTED	 Microbials NOT TESTED	 Mycotoxins NOT TESTED	 Residuals Solvents NOT TESTED	 Filtration NOT TESTED	 Water Activity NOT TESTED	 Moisture NOT TESTED	 Terpenes NOT TESTED

	Cannabinoid	PASSED
--	--------------------	---------------



Analyzed by: 1665, 585, 4044 Weight: 2.9348g Extraction date: 04/24/23 10:33:12 Extracted by: 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA059195POT Reviewed On : 04/25/23 10:52:21
 Instrument Used : DA-LC-007 Batch Date : 04/23/23 22:27:38
 Analyzed Date : 04/24/23 10:36:33

Dilution : 40
 Reagent : 040323.01; 041923.R09; 030322.03; 030823.03; 041923.R04
 Consumables : 280670723; CE0123; 61633-125C6-125E; 0000185478
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
 Lab Director
 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation P/LA-
 Testing 97164


 Signature
 04/25/23

Revision: #1 - LCV correction.